



# WD-128B

Theatrical



## #WD128B

Built to withstand the daily hazards of touring, this WD-128B Theatrical Electrical Distribution features an impressive amount of options for such a small format. The front panel is cut from a robust 0.080" aluminum sheet and is fixed to a robust steel enclosure which is then inserted in a Nanuk type 950 transport case. This type of power distribution is designed for lighting and stage power applications. It offers 12 separate 208V\*\* circuits on doubled Socapex (120V and 208V) and 2 split 20A Edison Duplex (5-20) over a 100A 3 phases Main Breaker. Panel mount terminals and neon indicators allow quick and easy voltage checks. It also features a 1 to 3 phases selection located on top under an easy access trap door.

### Input

#### Connector

CAM In – Straight or Ground/Neutral Reversed

#### Breaker

100A 120/208V 3 phases Main Breaker

### Outputs

#### Connectors

2x Socapex 19 pins (208V)  
2x Socapex 19 pins (120V)  
4x 5-20 Duplex



<b>Features</b>	<b>Breakers</b>	12x 20A 208V Circuits** 8x 20A 120V Circuits
	<b>Digital Metering</b>	Yes, integrated multifunction voltmeter/ammeter/wattmeter
	<b>Single/Three Phase Switch</b>	Yes, easy access from top of enclosure
	<b>Phase Presence Indicators</b>	1x neon light perInput phase
	<b>Voltage Metering Jacks</b>	No
	<b>Enclosure construction</b>	Type 950 Nanuk Transport Case
<b>Dimensions</b>	<b>Height</b>	297,18mm (11.7")
	<b>Depth</b>	464,82mm (18.3?)
	<b>Width</b>	579,12mm (22.8?)



*\*\*Customer must specify 208V pinout configuration  
when ordered*

---

## Certifications



DESIGNED & MANUFACTURED  
IN CANADA 